
COLLARD & ROE, P.C.







FACSIMILE TRANSMISSION

DATE:

June 27, 2008

NO. OF PAGES INCLUDING COVER PAGE:

10

TO:

Examiner: Michael C. STOUT

FAX NO.:

571-273-8300

FROM:

Frederick J. Dorchak

Reg. No. 29,298

RE:

U.S. Serial No. 10/532,518

Applicants: Thomas DUNKER ET AL. (Our Reference: DUNKER ET AL. - 1 PCT)

If you do not receive all of the pages, please call the above phone number as soon as possible.

MESSAGE:

Enclosed please find an Amendment in Response to final Office Action.

Sincerely,

Collard & Roe,

o. 29,298رير

Encl.

djp

This message is intended only for the use of the addressee, and may contain material which is privileged and confidential. If you are not the intended recipient, dissemination of this communication is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone. Thank you.

BEGEINED CENTRAL BAX GENTER JUN 27 2008

RESPONSE UNDER 37 C.F.R. 1.116 EXPEDITED PROCEDURE EXAMINING GROUP 3736

PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Thomas DUNKER ET AL. - 1 PCT

SERIAL NO.:

10/532,518

EXAMINER: Michael C. STOUT

FILED:

APRIL 25, 2005 GROUP:

3736

TITLE:

BIOPSY HOLDER FOR A BIOPSY CANNULA

AMENDMENT IN RESPONSE TO FINAL OFFICE ACTION

MAIL STOP AF Monorable Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In response to the Final Office Action dated April 30, 2008, please amend the above-identified patent application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 6 of this paper.